



<https://helda.helsinki.fi>

OBEDIS Core Variables Project : European Expert Guidelines on a Minimal Core Set of Variables to Include in Randomized, Controlled Clinical Trials of Obesity Interventions

Alligier, Maud

2020-02

Alligier , M , Barres , R , Blaak , E E , Boirie , Y , Bouwman , J , Brunault , P , Campbell , K , Clement , K , Farooqi , I S , Farpour-Lambert , N J , Fruhbeck , G , Goossens , G H , Hager , J , Halford , J C G , Hauner , H , Jacobi , D , Julia , C , Langin , D , Natali , A , Neovius , M , Oppert , J M , Pagotto , U , Palmeira , A L , Roche , H , Ryden , M , Scheen , A J , Simon , C , Sorensen , T I A , Tappy , L , Yki-Järvinen , H , Ziegler , O & Laville , M 2020 , ' OBEDIS Core Variables Project : European Expert Guidelines on a Minimal Core Set of Variables to Include in Randomized, Controlled Clinical Trials of Obesity Interventions ' , Obesity facts , vol. 13 , no. 1 , pp. 1-28 . <https://doi.org/10.1159/000505342>

<http://hdl.handle.net/10138/313769>

<https://doi.org/10.1159/000505342>

cc_by_nc_nd

publishedVersion

Downloaded from Helda, University of Helsinki institutional repository.

This is an electronic reprint of the original article.

This reprint may differ from the original in pagination and typographic detail.

Please cite the original version.

Guidelines

OBEDIS Core Variables Project: European Expert Guidelines on a Minimal Core Set of Variables to Include in Randomized, Controlled Clinical Trials of Obesity Interventions

Maud Alligier^a Romain Barrès^b Ellen E. Blaak^c Yves Boirie^d Jildau Bouwman^e
Paul Brunault^f Kristina Campbell^g Karine Clément^h I. Sadaf Farooqiⁱ
Nathalie J. Farpour-Lambert^j Gema Frühbeck^k Gijs H. Goossens^l Jorg Hager^m
Jason C.G. Halfordⁿ Hans Hauner^o David Jacobi^p Chantal Julia^q Dominique Langin^r
Andrea Natali^s Martin Neovius^t Jean Michel Oppert^u Uberto Pagotto^v
Antonio L. Palmeira^w Helen Roche^x Mikael Rydén^y André J. Scheen^z Chantal Simon^A
Thorkild I.A. Sørensen^B Luc Tappy^C Hannele Yki-Järvinen^D Olivier Ziegler^E
Martine Laville^F

^aFCRIN/FORCE Network, Centre de Recherche en Nutrition Humaine Rhône-Alpes, Lyon, France;

^bNovo Nordisk Foundation Center for Basic Metabolic Research, Faculty of Health and Medical Sciences, University of Copenhagen, Copenhagen, Denmark; ^cDepartment of Human Biology, Maastricht University Medical Centre+, Maastricht, The Netherlands; ^dUniversity Clermont Auvergne, CHU Clermont-Ferrand, Clinical Nutrition Department, Unité de Nutrition Humaine, CRNH Auvergne, Clermont-Ferrand, France; ^eTNO (Netherlands Organization for Applied Scientific Research), Microbiology and Systems Biology, Zeist, The Netherlands; ^fEquipe de Liaison et de Soins en Addictologie, CHRU de Tours, and UMR 1253, iBrain, Université de Tours, Inserm, and Qualipsy EE 1901, Université de Tours, Tours, France; ^gKC Microbiome Communications Group, Victoria, BC, Canada; ^hSorbonne University/INSERM, Nutrition and Obesities, Systemic Approaches Research Unit, and Assistance Publique Hôpitaux de Paris, Nutrition Department, Pitié-Salpêtrière Hospital, Paris, France; ⁱWellcome-MRC Institute of Metabolic Science and NIHR Biomedical Research Centre, University of Cambridge, Cambridge, UK; ^jObesity Prevention and Care Program Contrepoids, Service of Therapeutic Education for Chronic Diseases, Department of Community Health, Primary Care and Emergency, Geneva University Hospitals and University of Geneva, Geneva, Switzerland; ^kDepartment of Endocrinology and Nutrition, Clínica Universidad de Navarra, University of Navarra & CIBEROBN, IdiSNA, Pamplona, Spain; ^lDepartment of Human Biology, NUTRIM School of Nutrition and Translational Research in Metabolism, Maastricht University Medical Centre+, Maastricht, The Netherlands; ^mMetabolic Phenotyping, Nestlé Institute of Health Sciences, Lausanne, Switzerland; ⁿPsychological Sciences, University of Liverpool, Liverpool, UK; ^oInstitute of Nutritional Medicine, Klinikum rechts der Isar, Technical University of Munich, Munich, Germany; ^pL'Institut du Thorax, INSERM, CNRS, UNIV Nantes, CHU Nantes, Nantes, France; ^qNutritional Epidemiology Research Team (EREN), Epidemiology and Statistics Research Center (CRESS), Inra, Cnam, Paris 13 University and Public Health Department, Avicenne Hospital, AP-HP, Bobigny, France; ^rInstitute of Metabolic and Cardiovascular Diseases, I2MC, Inserm, Paul Sabatier University, and Department of Medical Biochemistry, Toulouse University Hospitals, Toulouse, France; ^sDepartment of Clinical and Experimental Medicine, University of Pisa, Pisa, Italy; ^tDepartment of Medicine (Solna), Karolinska Institute, Stockholm, Sweden; ^uDepartment of Nutrition, Pitié-Salpêtrière Hospital (AP-HP), Sorbonne

